

AMENDMENTS TO THE CLAIMS

The following is a complete listing of the claims indicating the current status of each claim and including amendments currently entered as highlighted.

1-25 (canceled)

- 26. (currently amended) A system for electrochemical assay of nitro-aromatic compounds, comprising:
- (a) a working electrode having a surface of carbon and gold, wherein said surface is modified by a monomeric amino-aromatic compound by treatment thereof with said monomeric amino-aromatic compound dissolved in an organic polar solvent.
- 27. (previously added) The system, according to claim 26 wherein said monomeric amino-aromatic compound is selected from the group consisting of alkyl-aniline compounds, halide derivatives of alkyl-aniline compounds and hydroxyl- aniline compounds.
- 28. (previously added) The system, according to claim 26, wherein said monomeric amino-aromatic compound is selected from the group consisting of phenylene-diamine, diphenylene-diamine, and diphenylene-triamine.
- 29. (previously added) The system, according to claim 26, wherein said monomeric amino-aromatic compound is aniline.
- 30. (previously added) The system, according to claim 26, wherein said organic polar solvent is a polar aprotonic solvent.
- 31. (previously added) The system, according to claim 26, wherein said organic polar solvent is dimethylsulfoxide.

- 32. (previously added) The system, according to claim 26 wherein said monomeric amino-aromatic compound is in a range of one to five per cent solution in said organic polar solvent.
- 33. (previously re-presented) The system, according to claim 26, wherein said working electrode includes at least one element selected from the group consisting of carbon and gold.
- 34. (previously re-presented) The system, according to claim 26, wherein said working electrode includes submicron particles.
- 35. (previously added) The system, according to claim 26, wherein said working electrode includes elemental gold deposited on carbon, wherein the gold is of average thickness less than one nanometer.
- 36. (previously re-presented) The system, according to claim 26, wherein said working electrode includes carbon paper.
- 37. (previously added) The system, according to claim 26, further comprising,
- (b) an electrolyte for dissolving the nitro-aromatic compounds; wherein said electrolyte is a mixed solvent including water and an organic solvent.
- 38. (previously re-presented) The system, according to claim 37, further comprising
- (c) a mechanism for inputting air suspected to include the nitro-aromatic compounds, into said electrolyte in order to dissolve the nitro-aromatic compounds in said electrolyte.
- 39. (previously added) The system, according to claim 37, wherein said organic solvent is selected from the group consisting of aprotonic solvents, and organic dipolar solvents.
- 40. (previously added) The system, according to claim 37, wherein said organic solvent is selected from the group consisting of dimethylformamide, acetonitrile, propylene carbonate.

- 41. (previously added) The system, according to claim 37, wherein said organic solvent is selected from the group consisting of ethanol, propanol, ethylene-glycol, and propylene-glycol.
- 42. (previously added) The system, according to claim 37, wherein said electrolyte has a pH greater than 8.
- 43. (previously added) The system, according to claim 37, wherein said electrolyte has a pH greater than 7.
- 44. (currently amended) The system, according to claim 26, further comprising,

 A system for electrochemical assay of nitro-aromatic compounds, comprising:

 (a) a working electrode having a surface modified by a monomeric amino-aromatic compound by treatment thereof with said monomeric amino-aromatic compound dissolved in an organic polar solvent; and
- (b) an electrolyte for dissolving the nitro-aromatic compounds; wherein said electrolyte is a mixed solvent including a water buffer of pH greater than 8, ethanol and acetonitrile.
- 45. (canceled)